

ANNEXURE V-1
(Hospital Tie-Up)

Maharashtra University of Health Sciences, Nashik

Physiotherapy FacultyInspection Committee Report for Academic Year 2025 - 2026**Clinical Material in Hospital**Name of College/Institute. LSB College of Physiotherapy.....

Name of the Parent / Attached Hospital:

Sr. No.	Particulars to be verified	Actual Available	Lacuna																																																																																											
a.	There must be a parent / attached Hospital with minimum beds as per the Intake Capacity Indoor & Outdoor Facility with Physiotherapy exposure in the broad specialty areas including Intensive care to provide practical experience to the student.: (Refer Sr. No. C for Beds as per Intake Capacity)	Available 505 Beds	-																																																																																											
b.	The student to patient ratio should be minimum 1:5, the first part being student & second part patient.	Available	-																																																																																											
c.	The desirable breakup of beds shall be as follows: Student Patient Ratio (as per M.S.R., it must be 1:5):	Available -																																																																																												
	<table border="1"> <thead> <tr> <th>Sr. No</th> <th>Specialty</th> <th>10 to 30 Intake</th> <th>31 to 40 Intake</th> <th>41 to 50 Intake</th> <th>51 to 60 Intake</th> <th>61 to 100 Intake</th> </tr> </thead> <tbody> <tr> <td>01</td> <td>General Medicine</td> <td>30</td> <td>40</td> <td>50</td> <td>60</td> <td>100</td> </tr> <tr> <td>02</td> <td>General Surgery</td> <td>30</td> <td>40</td> <td>50</td> <td>60</td> <td>100</td> </tr> <tr> <td>03</td> <td>Orthopedics</td> <td>30</td> <td>50</td> <td>50</td> <td>60</td> <td>100</td> </tr> <tr> <td>04</td> <td>OBG</td> <td>15</td> <td>20</td> <td>30</td> <td>30</td> <td>60</td> </tr> <tr> <td>05</td> <td>Pediatrics</td> <td>15</td> <td>20</td> <td>30</td> <td>30</td> <td>60</td> </tr> <tr> <td>06</td> <td>Medical ICU</td> <td>05</td> <td>05</td> <td>10</td> <td>10</td> <td>15</td> </tr> <tr> <td>07</td> <td>Surgical ICU</td> <td>05</td> <td>05</td> <td>10</td> <td>10</td> <td>15</td> </tr> <tr> <td>08</td> <td>PICU + NICU</td> <td>05</td> <td>05</td> <td>05</td> <td>10</td> <td>15</td> </tr> <tr> <td>09</td> <td>ICCU + RICU</td> <td>05</td> <td>05</td> <td>05</td> <td>10</td> <td>15</td> </tr> <tr> <td>10</td> <td>Burns Unit / ICU</td> <td>05</td> <td>05</td> <td>05</td> <td>10</td> <td>10</td> </tr> <tr> <td>11</td> <td>Emergency</td> <td>05</td> <td>05</td> <td>05</td> <td>10</td> <td>10</td> </tr> <tr> <td></td> <td>Total</td> <td>150</td> <td>200</td> <td>250</td> <td>300</td> <td>500</td> </tr> </tbody> </table>			Sr. No	Specialty	10 to 30 Intake	31 to 40 Intake	41 to 50 Intake	51 to 60 Intake	61 to 100 Intake	01	General Medicine	30	40	50	60	100	02	General Surgery	30	40	50	60	100	03	Orthopedics	30	50	50	60	100	04	OBG	15	20	30	30	60	05	Pediatrics	15	20	30	30	60	06	Medical ICU	05	05	10	10	15	07	Surgical ICU	05	05	10	10	15	08	PICU + NICU	05	05	05	10	15	09	ICCU + RICU	05	05	05	10	15	10	Burns Unit / ICU	05	05	05	10	10	11	Emergency	05	05	05	10	10		Total	150	200	250	300	500
Sr. No	Specialty			10 to 30 Intake	31 to 40 Intake	41 to 50 Intake	51 to 60 Intake	61 to 100 Intake																																																																																						
01	General Medicine			30	40	50	60	100																																																																																						
02	General Surgery			30	40	50	60	100																																																																																						
03	Orthopedics			30	50	50	60	100																																																																																						
04	OBG			15	20	30	30	60																																																																																						
05	Pediatrics			15	20	30	30	60																																																																																						
06	Medical ICU			05	05	10	10	15																																																																																						
07	Surgical ICU			05	05	10	10	15																																																																																						
08	PICU + NICU			05	05	05	10	15																																																																																						
09	ICCU + RICU			05	05	05	10	15																																																																																						
10	Burns Unit / ICU	05	05	05	10	10																																																																																								
11	Emergency	05	05	05	10	10																																																																																								
	Total	150	200	250	300	500																																																																																								
d.	Student - Bed Ratio (Undergraduate) : 1:5	Available	-																																																																																											
e.	Average Bed Occupancy in %: <u>85%</u>	Available	-																																																																																											
f.	Whether separate Registration room is available at OPD? <u>Yes</u> f. Number of total patients registered in last Year: <u>Aprox 80,000</u> g. Number of New Patients registered on daily average: <u>Aprox 200 Nos</u> h. Number of Old Patients registered on daily average: <u>Aprox 80 Nos</u> i. Average Number of patients attending OPD (current year): <u>Aprox 11kth</u> j. Whether records of patient registration are well maintained: <u>Yes</u>	Available	-																																																																																											
g.	Indoor Physiotherapy Department Areas as per Clinical Load and Intake: (as per M.S.R.) Clinical Load, Total Strength of Hospital Beds, Outdoor Physiotherapy Load per specialty, Indoor Physiotherapy Load per Specialty, Student: Patient ratio per specialty.	Available	-																																																																																											
h.	Outdoor Physiotherapy Department Areas as per Clinical Load and Intake: (as per M.S.R.)	Available	-																																																																																											
I	Physiotherapy OPD Services (as per M.S.R.): The hospital shall have functional physiotherapy department providing services on out-patient & in-patient department at least since 12 Months prior application & shall maintain required OPD and IPD records for verification.	Available	-																																																																																											

As per Central Council Norms/ University Norms, above Infrastructure must be available at College. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be mark as "Inadequate" with evidence. If attached Hospitals provide valid MOU



Verified by The LIC Committee Members

PRINCIPAL
LATE SURESHANNA BATKADLI
COLLEGE OF PHYSIOTHERAPY, KADGAON,
TAL. GADHINGLAJ, DIST. KOLHAPUR.

(Chairman)


(Member)

(Member)

(Member)

1

1884 / 2024




महाराष्ट्र MAHARASHTRA

2023

90AA 040734



विक्री नं. १९९ किंमत रु. २०० पैकी रु. १०० दि.



श्री./सौ. सेक्रेटरी
श्रीमती गुरुबाई बटकडली शिक्षण संस्था
कडगाव, ता. गडहिंगलज, जि. कोल्हापूर.

श्री. नारायण भावंत येसादे
मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंगलज
परवाना क्र. मु.वि.अ. ३७/९९ दि. २३/७/१९९९
कोड नं. २६०६००८

का. १२१ वैभव ईश्या कावळी

मुद्रांक विक्रेता येसादे यांची अर्हता
कारण शिक्षण कामी.

Notary Regl. Sr. No. 1884 / 2024



MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

**LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,
DIST-KOLHAPUR**

And

SUB-DISTRICT HOSPITAL GADHINGLAJ, TAL-GADHINGLAJ, DIST-KOLHAPUR.

No. Of Corrections on this page

Nil

2

Affiliation for utilization for Physiotherapy Students
This DEED OF AGREEMENT IS MADE ON THIS between
LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,
DIST-KOLHAPUR

(First Party)

And

SUB-DISTRICT HOSPITAL GADHINGLAJ, TAL-GADHINGLAJ, DIST-
KOLHAPUR.

(Second Party)

1. The first party can utilize second party's hospital as Affiliated hospital for the physiotherapy students of first party for clinical experience.
2. The second party is having 100 bed added Hospital.
3. Video shooting permission during inspect on (HUHS, INC, DMER, MSBNPE)
4. Permission to Conduct to practical Examination (MUHS)
5. Permission to demonstrate the procedure to the students.
6. Posting timing for inter shift wise (08 Hrs. duration bases.
7. During final examination, before 20 days students will be study holiday.
8. Permission for integrated posting & research project activities.
9. This MOU is for period of 5 years

LATE SURESHANNA BATKADALI COLLEGE OF
PHYSIOTHERAPY KADGAON
TAL- GADHINGLAJ DIST-KOLHAPUR

SUB-DISTRICT HOSPITAL
GADHINGLAJ TAL-GADHINGLAJ,
DIST-KOLHAPUR.

WITNESS Name Address And Signature –

1. Shri. Vaibhav Irappa Kagwade
At –Post- Ainapur, Tal Gadhnglaj, Dist-Kolhapur
2. Shri. Ajit Shankar Patil,
Kadgaon, Tal Gadhnglaj, Dist-Kolhapur

No.Of Corrections
on this page

1/1

IDENTIFIED BY
KADGAON TAL. GAHINGLAJ
DIST. KOLHAPUR
This DEED OR AGREEMENT IS MADE ON THIS DAY
LATE SURESHKANTH BALKRISHN COLLEGE OF PHYSIOTHERAPY
KADGAON TAL. GAHINGLAJ
DIST. KOLHAPUR

S. S. Pawar
Shri. S. B. Patole
ADVOCATE
Mohite Complex, Kacheri Road,
Gadhinglaj-418502

Before Me
S. S. Pawar

S. S. PAWAR
Advocate & Notary
Doctor's Colony, Gadhinglaj
Dist. Kolhapur-416 002
Mob. 9422581268

26 AUG 2024



This Document Contains
Page No. 1 to 03

No. Of Corrections
on this page Nil

No. Of Corrections
on this page



Sub District Hospital, Gadhinglaj



Late. SureshAnna Batkadli College...



10 min



10 min




-



1 hr 11



-



10 min (5.1 km)

Best route



Start




Steps



Pin

640/2024

0



महाराष्ट्र MAHARASHTRA

2023

86AA-476158

विक्री नं. 5800 किंमत रु. 100 पैकी रु. सचिव दि. 25/02/2024

श्री./सौ. --- श्रीमती गुरुबाई बटकदली शिक्षण संस्था
रा. --- कडगाव, ताल. गडहिंग्लज, जि. कोल्हापूर

कोटा 25/02/2024
श्री. नारायण चंद्रशंकर येसादे
मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंग्लज
परवाना क्र. मु.वि.अ. 30/99 दि. 23/07/9999
कोड नं. 260E00C



मुद्रांक विक्रेता घेणाऱ्याची अहोकारण



Notary Regl. Sr. No 640/2024

MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,
DIST-KOLHAPUR

And

SEVA SADHAN HOSPITAL GADHINGLAJ, TAL-GADHINGLAJ, DIST-KOLHAPUR.

No. Of Corrections on this page - 1

Affiliation for utilization for **PHYSIOTHERAPY**
This DEED OF AGREEMENT IS MADE ON THIS between
LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,
DIST-KOLHAPUR
(First Party)

And

SEVA SADHAN HOSPITAL GADHINGLAJ, TAL-GADHINGLAJ,
DIST-KOLHAPUR.
(Second Party)

1. The first party can utilize second party's hospital as Affiliated hospital for the physiotherapy students of first party for clinical experience.
2. The second party is having 100 bed added Hospital. The types and number of beds are as follows:

Sr. No.	Departments	Numbers of Beds
01.	Medical / Surgical	30
02.	Orthopedic	30
03.	O.B.G.Y / Ophthalmic / ENT	15
04.	I.C.U / Paediatric	15
05.	Psychiatric / Burns and Plastic	10

3. Video shooting permission during inspect on (HUHS, INC, DMER, MSBNPE)
4. Permission to Conduct to practical Examination (MUHS)
5. Permission to demonstrate the procedure to the students.
6. Posting timing for inter shift wise (08 Hrs. duration bases.
7. During final examination, before 20 days students will be study holiday.
8. Permission for integrated posting & research project activities.
9. This MOU is for period of 5 years



[Signature]
SECRETARY

LATE SURESHANNA BATKADALI COLLEGE OF
PHYSIOTHERAPY KADGAON
TAL-GADHINGLAJ, DIST-KOLHAPUR

[Signature]
SEVA SADHAN HOSPITAL
GADHINGLAJ, TAL-GADHINGLAJ,
DIST-KOLHAPUR.

WITNESS Name Address And Signature -

1. Shri. Vaibhav Irappa Kagwade
At -Post- Ainapur, Tal Gadhnglaj, Dist-Kolhapur
2. Shri. Ajit Shankar Patil,
Kadgaon, Tal Gadhnglaj, Dist-Kolhapur

[Signature]
[Signature]

No. Of Corrections
on this page *11/2*

3

IDENTIFIED BY

Patil
C.M. Patil
Pro. Gadchinsray

Before Me

S. S. PAWAR
Advocate & Notary
Doctor's Colony, Gadchinsray
Dist. Kolhapur-416 502
Mob. 9422581268

KOLHAPUR
DISTRICT
KADGACH
KADGACH



MAR 2024



SECRETARY
SHRIMATI S. S. PATIL
KADGACH
KADGACH
KADGACH


This Document Contains
Page No. 1 to 03

No. Of Corrections
on this page nikh

SECRETARY
SHRIMATI S. S. PATIL
KADGACH
KADGACH
KADGACH

◀ ○ Seva Sadan Multispeciality Hospit... ⋮
⋮
📍 Late. SureshAnna Batkadli College... ↕

🚗 12 min 🚲 11 min 🚝 — 🚶 1 hr 17 ✈️ —



12 min (6.2 km)
Fastest route, the usual traffic

🌿 Saves petrol

▲ Start ≡ Steps 📌 Pin



Seva Sadan Hospital



To,

Secretary,

Smt. Gurubai Batkadli Shikshan Sanstha's

kai.Sureshanna Batkadli College Of PHYSIOTHERAPY Kadgaon

Sub: permission to Affiliation for PHYSIOTHERAPY college.

Respected Sir,

As per your request we are glad to inform you that we are giving permission to affiliate our 100 bed hospital to Kai.Sureshanna Batkadli College Of PHYSIOTHERAPY Kadgaon. Hope it will be very helpful for clinical experience. Our hospital is not affiliated to any other nursing school.

Thanking You,

Yours Faithfully





महाराष्ट्र शासन

जिल्हा शल्यचिकित्सक, कोल्हापूर

(सन १९४९ च्या दि. बॉम्बे नर्सिंग एंज्मन रजिस्ट्रेशन अॅक्टचा कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट)

दि बॉम्बे नर्सिंग होमस रजिस्ट्रेशन अॅक्ट, १९४९ अन्वये

नोंदणी प्रमाणपत्र

★ डॉ. श्री. / श्रीमती नागेद्र पट्टणसेट्टी, डॉ. राजश्री पट्टणसेट्टी

सेवा सदन आयुर्वेद व मल्टीस्पेशालीटी हॉस्पिटल,

थरथोल हॉस्पिटल, नर्सिंग होम / मॅटर्निटी होम रजिस्टर केले असून सदरचे हॉस्पिटल / नर्सिंग

होम / मॅटर्निटी होम चालविण्यास परवाना देणेत येत आहे. / पुर्ननोंदणीस मान्यता देणेत

येत आहे

रजिस्ट्रेशन क्रमांक 386/2022

रजिस्ट्रेशन दिनांक 03/04/2022

ठिकाण, कोल्हापूर

सर्टिफिकेट दिल्याचा दिनांक : 26/12/2022

प्रत्येकीसाठी कॉट्स : 80

इतर सगणांसाठी कॉट्स 50

एकूण कॉट्स : 900

सदरचे सर्टिफिकेट दिनांक : 31/03/2024 पर्यंत कार्यवाहीत राहील.



बेटी बचाओ
save the girl child

CIVIL

जिल्हा शल्यचिकित्सक,
छत्रपती प्रमिलाराजे सर्वोपचार
सुग्णालय, कोल्हापूर.

MAHARASHATRA POLLUTION CONTROL BOARD

Regional Office, Kolhapur

Phone : 0231-2652952 /2660448

Fax : 0231-2652952

Email : rokolhapur@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Udyog Bhawan
Near Collector Office,
Kolhapur - 416003

LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorisation for Generation, Collection, Reception, Segregation, Disposal of Bio-Medical Wastes under Rule 7(4)]

I. File number of authorisation and date of issue

RO-KOLHAPUR/BMW AUTH/1909000174/03/20 Date- 20/09/2020

- II. M/S. SEVA SADAN AYURVED & MULTI. HOSPITAL is hereby granted an authorization for generation of biomedical waste on the premises situated AJARA ROAD, TAL. GADHINGLAJ, DIST. KOLHAPUR, MAHARASHTRA.
- III. This authorisation shall be in force for a period up to **30.6.2025** an application shall be made by the occupier/operator for renewal **3 Months** before expiry of earlier authorisation.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: 100.

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.



Subjected to:

- (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 15 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:
- (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters.* - Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing.* - The autoclave shall completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1 x 10⁶ spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) *Routine Test.*—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.

8 (i) BMW shall be treated and disposed of in accordance with Schedule I and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave, Microwave, shredder etc., at the disposal site in accordance with the standards prescribed in Schedule I and shall dispose of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.

9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.
- (vi) You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer Centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with copy to CPCB before 31st January every year.
- (vii) You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dtd. 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
- (viii) You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCE's within two years.
- (ix) You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of CBMWTF in accordance with Water Act, 1974.

10 Standards for waste autoclaving:

The autoclave shall be dedicated for the purposes of disinfecting and treating bio-medical waste.

- (I) When operating a gravity flow autoclave, medical waste shall be

12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
- (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
15. You shall submit following bank guarantees in favour of Regional Office, M. P. C. Board, Kolhapur within a 15 days to ensure the compliance of following conditions :

Sr. No.	Condition to be complied	Compliance Timeline (Months)	BG Amount (Rs)	Validity
A) Operation and Maintenance				
01	To segregate and Handle BMW as per the Conditions of Authorization/BMW Rules.	Continuous	25000/-	Extend the existing BG for the period valid upto 31-08-2024
B) Performance				
01	To provide Effluent Treatment Plant.	Six months	50,000/-	31.08.2024
Bank Guarantee Total Amount of Rs.			75,000/-	

FOR AND ON BEHALF OF THE
MAHARASHTRA POLLUTION CONTROL BOARD

(Signature) 20/10/15

(RAVINDRA ANDHALE)
REGIONAL OFFICER, KOLHAPUR

- 8 (i) BMW shall be treated and disposed of in accordance with Schedule I and in compliance with the standards prescribed in Schedule V of said Rules.
- (ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave, Microwave, shredder etc., at the disposal site in accordance with the Rules. You shall dispose of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council / as notified by you or any earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.
- (vi) You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer Centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with copy to CPCB before 31st January every year.
- (vii) You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dtd. 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
- (viii) You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCE's within two years.
- (ix) You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of CBMWTF in accordance with Water Act, 1974.
10. Standards for waste autoclaving:
The autoclave shall be dedicated for the purposes of disinfecting and treating bio-medical waste.
- (i) When operating a gravity flow autoclave, medical waste shall be

To,
M/S. SEVA SADAN AYURVED & MULTI-HOSPITAL
AJARA ROAD, TAL. GADHAINGLAJ,
DIST. - KOLHAPUR,
MAHARASHTRA.

Authorization Fees Received:

Sr no	Unique No	Description	Payment added	Transaction number	Transaction Date	Approved On	Status
1	MPCB- BMW_AUTH- 0000022657	BMW Fee	12500.00	TDH1905002185	24-05-2019	24-05- 2019	Success

Copy to:-
Sub Regional Office, Kolhapur

a a a h r p 1 2 0

MPCB- BMW_AUTH- 0000022657
24-05-2019
Success

637/2024 (U)




महाराष्ट्र MAHARASHTRA

2023

25/02/2024


86AA 476159



विक्री नं. 572 किंमत रु. 400 पैकी रु. 200 दि.
श्री./सौ. अध्यक्ष सचिव
श्रीमती गुरुबाई बटकडली शिक्षण संस्था
रा. कडगाव, ता. गडहिंग्लज, जि. कोल्हापूर
कोटला लूला रसिकोत कोड
श्री. नारायण रघावंत येसावे
मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंग्लज
परवाना क्र. मु.वि.अ. 30/99 दि. 23/8/9999
कोड नं. 260600C



मुद्रांक विक्रेता घेणाऱ्याची भर
करणा



Notary Regl. Nr. 637
2024

MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,
DIST-KOLHAPUR

And

SANJEEVANI HOSPITAL GADHINGLAJ, TAL-GADHINGLAJ, DIST-
KOLHAPUR.

No. Of Corrections
on this page - 2

2

Affiliation for utilization for **PHYSIOTHERAPY**
 This DEED OF AGREEMENT IS MADE ON THIS between
LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,

DIST-KOLHAPUR

(First Party)

And

SANJEEVANI HOSPITAL GADHINGLAJ, TAL-GADHINGLAJ,
DIST-KOLHAPUR.

(Second Party)



1. The first party can utilize second party's hospital as Affiliated hospital for the physiotherapy students of first party for clinical experience.
2. The second party is having 100 bed added Hospital. The types and number of beds are as follows:

Sr. No.	Departments	Numbers of Beds
01.	Medical / Surgical	25
02.	O.B.G.Y / ICU	40
03.	Ophthalmic / ENT	10
04.	Psychiatric / Paediatric	15
05.	Casualty / Emergency	10

3. Video shooting permission during inspect on (HUHS, INC, DMER, MSBNPE)
4. Permission to Conduct to practical Examination (MUHS)
5. Permission to demonstrate the procedure to the students.
6. Posting timing for inter shift wise (08 Hrs. duration bases.
7. During final examination, before 20 days students will be study holiday.
8. Permission for integrated posting & research project activities.
9. This MOU is for period of 5 years

SECRETARY
SHRIMATI SURESHANNA BATKADALI
LATE SURESHANNA BATKADALI COLLEGE OF
PHYSIOTHERAPY KADGAON
TAL-GADHINGLAJ, DIST-KOLHAPUR

SANJEEVANI HOSPITAL
GADHINGLAJ, TAL-GADHINGLAJ,
DIST-KOLHAPUR.

WITNESS Name Address And Signature -

1. Shri. Vaibhav Irappa Kagwade
At -Post- Ainapur, Tal Gadhnglaj, Dist-Kolhapur
2. Shri. Ajit Shankar Patil,
Kadgaon, Tal Gadhnglaj, Dist-Kolhapur

Patil
Patil

No. Of Corrections
 on this page

IDENTIFIED BY

Patil
(B.M. Patel)
A/c. Gadhinglaj



Before Me

S.S. Pawar

S. S. PAWAR
Advocate & Notary
Doctor's Colony, Gadhinglaj
Dist. Kolhapur-416 502
Mob. 9422581268

MAR 2024



This Document Contains
Page No. 1 to 03

No. Of Corrections
on this page Nil


No. Of Corrections
on this page

AT GADHINGLAJ DIST. KOLHAPUR
NOTARY
S.S. PAWAR

Sanjeevani Hospital

Late. SureshAnna Batkadli College...

12 min 11 min 1 hr 21



12 min (6.1 km)

Best route

Saves petrol

Start Steps Pin

संजीवनी हॉस्पिटल

मराठा चित्र मंदिर नजीक, भडगांव रोड, गडहिंग्लज

फोन : (०२३२७) २२२६५२

Email – kiranhtt7@gmail.com



डॉ. किरण एस. हत्ती

एम.बी.बी.एस., एम.डी., स्त्री रोग व प्रसुती तज्ञ

कन्सल्टंट गायनिकोलॉजिस्ट

एक्स. मेडिकल सुपरीटेंडेंट

रजि.नं. ५०८३२

जा.क्र. :

दिनांक :

To,

Secretary,

Smt. Gurubai Batkadli Shikshan Sanstha's

kai.Sureshanna Batkadli College Of PHYSIOTHERAPY Kadgaon

Sub: permission to Affiliation for PHYSIOTHERAPY college.

Respected Sir,

As per your request we are glad to inform you that we are giving permission to affiliate our 100 bed hospital to Kai.Sureshanna Batkadli College Of PHYSIOTHERAPY Kadgaon. Hope it will be very helpful for clinical experience. Our hospital is not affiliated to any other nursing school.

Thanking you.

Yours Faithfully


Dr. Kiran S. Hatti



महाराष्ट्र शासन

जिल्हा शल्यचिकित्सक, कोल्हापूर

(सन १९४९ च्या दि बॉम्बे नर्सिंग होम रजिस्ट्रेशन अॅक्टचा कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट)

दि बॉम्बे नर्सिंग होम रजिस्ट्रेशन अॅक्ट, १९४९ अन्वये

प्रमाणपत्र

डॉ. श्री./श्रीमती किरण हल्ली यांचे

सॅन्टिबर्ग हॉस्पिटल, ३८३ हिंडलज

येथील नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम

चालविण्यास परवाना देणेत येत आहे / पुनर्नोदणीस मान्यता देणेत येत आहे

रजिस्ट्रेशन क्रमांक : ४४०१२०२३/३८३ हिंडलज प्रसूतीसाठी कॉट्स : ६०

रजिस्ट्रेशन दिनांक : ०९/०४/२०२३ इतर रुग्णांसाठी कॉट्स : ४०

ठिकाण : कोल्हापूर **मूळ कॉट्स : १००**

सर्टिफिकेट दिल्याचा दिनांक : ०९/०४/२०२३

सदरचे सर्टिफिकेट दिनांक : ३१/०३/२०२६ पर्यंत कार्यवाहीत राहील.



जिल्हा शल्यचिकित्सक,

सुत्रपती प्रमिलाराजे सर्वोपचार

रुग्णालय, कोल्हापूर.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231 -2652952
Fax: 0231 - 2660448
Website: <http://mpcb.gov.in>
Email:
srokolhapur@mpcb.gov.in



Udyog Bhavan Building ,
Near Collectorate Office,
Kolhapur-416 002

ORANGE/S.S.I
No:- Format1.0/SRO/UAN No.0000157773/CO/2303000722

Date: 11/03/2023

To,
Sanjeevani Hospital
Utkarsh Bhadgaon Road Gadhinglaj, Dist Kolhapur

Email:kiranhtt7@gmail.com
Contact No.:9922671761



सर्वसेवा सर्वकायदा
Right to Public Service Act
Your Service is Our
Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000157773& BMW Auth No.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 30/12/2022

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedules(I-IV) and Annexures (I-II) enclosed in this order.

1. This CCA shall be in force for a period From 01-04-2021 To 31-12-2026
2. The capital investment of the HCF is ₹74.14 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 491.00 M² with Built-up area 480.00 M².
4. **Activities Included**
 - a. Total Number of Beds : 100 Nos. 447
 - I. General Beds : 60 Nos
 - II. Operation Theatre : 10 Nos
 - III. Maternity Beds : 30 Nos
5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 0.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the Annexure-II.
2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr. No	Type of Waste	HVE Category no	Quantity	DOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.**
- 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.**

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 2.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
18. Applicant shall provide Waste Treatment Facility as per the BMW Rule as 2016 on priority & submit the proposal within one month from issuing the certificate.
19. The hospital shall comply the MPC Board circular vide no. MPC/PSO/B-211111FTS0124 dtd.11/11/2021 time to time. HCE shall possess valid registration under Bombay Nursing Home Act 1949 rule 5.



24bc0907
4b635e79
a5d1aec0
b4b7dc2c
217e0ca8
875be34e
2c28ac5a
db7180bf

Signed by: *Printed Name*
Sub Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
srokolhapur@mpcb.gov.in
2023-03-11 20:47:58 IST

Received Consent/Authorization fee of -


Sr.No	Amount/(Rs.)	Transaction/DR.No	Date	Transaction Type
1	4500.00	TXN2212004795	30/12/2022	Online Payment

Copy to:

1. Regional Officer, MPCB, Kolhapur for information.
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

639/2024

0



महाराष्ट्र MAHARASHTRA

2023

86AA 476160

25/02/2024



विक्री नं. 5870 किंमत रु. 700 पैकी रु. 700 दि.
अध्यक्ष सचिव
श्री./सौ. श्रीमती गुरुवाई बटकाडली शिक्षण संस्था
रा. - कडगाव, त. गडहिंग्लज, जि. कोल्हापूर
कोल्हा 2 इलाहाबादी चौक कडगाव



मुद्रांक विकत घेणाऱ्याची मर्तः
कारण



Notary Regl. Br. No 639
2024

MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,
DIST-KOLHAPUR

And

JANAI HOSPITAL GADHINGLAJ, TAL-GADHINGLAJ, DIST-
KOLHAPUR.

No. Of Corrections
on this page will

Affiliation for utilization for **PHYSIOTHERAPY**
 This DEED OF AGREEMENT IS MADE ON THIS between
LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,
DIST-KOLHAPUR
 (First Party)

And

JANAI HOSPITAL GADHINGLAJ, TAL-GADHINGLAJ,
DIST-KOLHAPUR.
 (Second Party)

1. The first party can utilize second party's hospital as Affiliated hospital for the physiotherapy students of first party for clinical experience.
2. The second party is having 55 bed added Hospital. The types and number of beds are as follows:

Sr. No.	Departments	Numbers of Beds
01.	Medical / Surgical	25
02.	Orthopedic / O.B.G.Y	10
03.	ICU / Paediatric	10
04.	Psychiatric	05
05.	Casualty / Emergency	05

3. Video shooting permission during inspect on (HUHS, INC, DMER, MSBNPE)
4. Permission to Conduct to practical Examination (MUHS)
5. Permission to demonstrate the procedure to the students.
6. Posting timing for inter shift wise (08 Hrs. duration bases.
7. During final examination, before 20 days students will be study holiday.
8. Permission for integrated posting & research project activities.
9. This MOU is for period of 5 years

SECRETARY
LATE SURESHANNA BATKADALI COLLEGE OF
PHYSIOTHERAPY, KADGAON
TAL GADHINGLAJ, DIST-KOLHAPUR

JANAI HOSPITAL
GADHINGLAJ, TAL-GADHINGLAJ,
DIST-KOLHAPUR.

WITNESS Name Address And Signature –

1. Shri. Vaibhav Irappa Kagwade
At –Post- Ainapur, Tal Gadhnglaj, Dist-Kolhapur
2. Shri. Ajit Shankar Patil,
Kadgaon, Tal Gadhnglaj, Dist-Kolhapur

(Signature of Shri. Ajit Shankar Patil)



3

IDENTIFIED BY

Patil
C.M. Patil
H.O. Gadhinglaj

Before Me

S.S. Pawar

S.S. PAWAR
Advocate & Notary
Doctor's Colony, Gadhinglaj
Dist. Kolhapur-416502
Mob. 9422581268



07 MAR 2024



This Document Contains
Page No. 1 to 03

No. Of Corrections
on this page 11/2

SECRETARY
SHIKSHAN SANGATHA KADGAON
TAL. GADHINGLJ, DIST. KOLHAPUR

No. Of Corrections
on this page



Janai Multispecialty Hospital and...



Late. SureshAnna Batkadli College...




12 min

12 min



1 hr 29



12 min (6.4 km)

Fastest route, the usual traffic

Saves petrol

Start

Steps

Pin



To,

Secretary,

Smt. Gurubai Batkadli Shikshan Sanstha's

kai.Sureshanna Batkadli College Of PHYSIOTHERAPY Kadgaon

Sub: permission to Affiliation for PHYSIOTHERAPY college.

Respected Sir,

As per your request we are glad to inform you that we are giving permission to affiliate our 55 bed hospital to Kai.Sureshanna Batkadli College Of PHYSIOTHERAPY Kadgaon. Hope it will be very helpful for clinical experience. Our hospital is not affiliated to any other nursing school.

Thanking you.

Yours Faithfully


Janai Multispeciality Hospital
Reg.No-505/2022/Gadhinglaj



महाराष्ट्र शासन

जिल्हा शल्यचिकित्सक, कोल्हापूर

(सन १९४९ च्या दि बाँबे नर्सिंग होम्स रजिस्ट्रेशन अक्ट्या कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट)

दि बाँबे नर्सिंग होम्स रजिस्ट्रेशन अक्ट, १९४९ अन्वये

नोंदणी प्रमाणपत्र

डॉ. श्री./श्रीमती रजजित वि. कदम यांचे

जनाई मल्टीस्पेशलिटी हॉस्पिटल व रिसर्च सेंटर
गडहिंगलज

येथील हॉस्पिटल/नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे हॉस्पिटल/नर्सिंग
होम/मॅटर्निटी होम चालविण्यास परवाना देणेत येत आहे. /पुनर्नोंदणीस मान्यता देणेत

येत आहे.

रजिस्ट्रेशन क्रमांक : ५०५/२०२२/गडहिंगलज प्रसूतीसाठी कॉटस् : १०

रजिस्ट्रेशन दिनांक : १९/०५/२०२२

इतर रुग्णांसाठी कॉटस् : ४५

ठिकाण : कोल्हापूर

एकूण कॉटस् : ५५

सर्टिफिकेट दिल्याचा दिनांक : २३/६/२०२२

सदरचे सर्टिफिकेट दिनांक : ३१/०३/२०२५ पर्यंत कार्यवाहीत राहिल.



जिल्हा शल्यचिकित्सक,
छत्रपती प्रमिलाराजे सर्वोपचार
रुग्णालय, कोल्हापूर.

Janai Multispeciality Hospital
Reg.No-505/2022/Gadhinglaj

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952
0231-2660448
Fax: 0231-2652952
Website: <http://mpcb.gov.in>
Email: rokolhapur@mpcb.gov.in



Maharashtra Pollution
Control Board, Udyog
Bhavan Building, Near
Collectorate Office,
Kolhapur - 416 002

ORANGE/S.S.I

No:- Format1.0/RO/UAN No.0000159976/CE/2307001424

Date: 21/07/2023

To,
JANAI MULTISPECIALITY HOSPITAL & RESEARCH
CENTER
MARKET YARD SANKESHWAR ROAD GADHINGLAJ
TAL. GADHINGLAJ, DIST. KOLHAPUR-416502
Email: ranjitkadam96@gmail.com
Contact No.: 9595353549



Your Service is Our Duty

Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 19/04/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Combine Consent to Establish for BMW Authorization is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier.


Janai Multispeciality Hospital
Reg.No-505/2022/Gadhinglaj

2. The capital investment of the HCF is ₹19.50 Lakhs (As per C.A Certificate Submitted by HCF)

3. HCF Area - Plot Area 972.00 M² with Built-up area 916.00 M²

4. **Activities Included**

a. Total Number of Beds : 55 Nos. 505 2022

i. General Beds : 49 Nos

ii. ICU/ICU Beds : 5 Nos

iii. Operation Theatre : 1 Nos

5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.

2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.

3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.

2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.

2. You shall segregate and handover BMW to BMW T&D CTF **S.S. Services, Ichalkaranji** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.

3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.

4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

- 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.



J. S. Salunke

b81b7810
b2e6ca32
adeb5d4d
07a2ef4e
6127e95a
d483ce04
9277c28b
51d695a6

Signed by: J. S. Salunke
Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
rokolhapur@mah.gov.in
2023-07-21 11:14 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR No.	Date	Transaction Type
1	1500.00	TXN2301003455	20/01/2023	Online Payment

Copy to:

- 1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. I/C EIC- for record & website updating purpose.

638/2024 (1)



महाराष्ट्र MAHARASHTRA

2023

86AA 476161

25/02/2024



विक्री नं. 782 किंमत रु. 500 पैकी रु. 700 दि.
श्री./सौ. ~~अश्विनी~~ सखिव
श्रीमती गुरुबाई बटकडली शिक्षण संस्था
रा. कडगाव, ता. गडहिंग्लज, जि. कोल्हापूर
कोल्हा 25/02/2024 कोष नं.
श्री. नारायण यशवंत येसादे
मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंग्लज
परवाना क्र. मु.वि.अ. 30/99 दि. 23/0/9999
कोड नं. 260600C



मुद्रांक विक्रीत घेणाऱ्याची सही
कारण



Notary Regl. Br. No. 638
2024

MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,
DIST-KOLHAPUR

And

DESAI HOSPITAL GADHINGLAJ, TAL-GADHINGLAJ, DIST-
KOLHAPUR.

No. Of Corrections
on this page 1/2

2

Affiliation for utilization for **PHYSIOTHERAPY**
This DEED OF AGREEMENT IS MADE ON THIS between
LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,
DIST-KOLHAPUR
(First Party)

And

DESAI HOSPITAL GADHINGLAJ, TAL-GADHINGLAJ,
DIST-KOLHAPUR.
(Second Party)



1. The first party can utilize second party's hospital as Affiliated hospital for the physiotherapy students of first party for clinical experience.
2. The second party is having 50 bed added Hospital. The types and number of beds are as follows:

Sr. No.	Departments	Numbers of Beds
01.	Medical / Surgical	30
02.	Ophthalmic / ENT / ICU	10
03.	Psychiatric	05
04.	Infectious Diseases	05

Y. BATKADALI, KADGAON, TAL-GADHINGLAJ, DIST-KOLHAPUR.

3. Video shooting permission during inspect on (HUHS, INC, DMER, MSBNPE)
4. Permission to Conduct to practical Examination (MUHS)
5. Permission to demonstrate the procedure to the students.
6. Posting timing for inter shift wise (08 Hrs. duration bases).
7. During final examination, before 20 days students will be study holiday.
8. Permission for integrated posting & research project activities.
9. This MOU is for period of 5 years

Bai

SECRETARY
SHRIMATI GURUBAI BATKADALI
LATE SURESHANNA BATKADALI COLLEGE OF
PHYSIOTHERAPY, KADGAON
TAL-GADHINGLAJ, DIST-KOLHAPUR

Desai
DESAI HOSPITAL
GADHINGLAJ, TAL-GADHINGLAJ,
DIST-KOLHAPUR.

WITNESS Name Address And Signature -

1. Shri. Vaibhav Irappa Kagwade
At -Post- Ainapur, Tal Gadhnglaj, Dist-Kolhapur
2. Shri. Ajit Shankar Patil,
Kadgaon, Tal Gadhnglaj, Dist-Kolhapur

Ajit
Patil

No. Of Corrections on this page 1/2

No. Of Corrections on this page 1/2

3

IDENTIFIED BY

Batil
CB-M. Patil
No. Gadhingraj



Before Me

S. S. Pawar

S. S. PAWAR
Advocate & Notary
Doctor's Colony, Gadhingraj
Dist. Kolhapur-416 502
Mob. 9422581268

MAR 2024



Y. SATYANARAYAN
ADVOCATE & NOTARY
KOLHAPUR



PROFESSOR BY
SHRI M. D. KADGON
SHRI K. S. KADGON
TAL. GADHINGRAJ, DIST. KOLHAPUR


No. Of Corrections
on this page *11*

This Document Contains
Page No. 1 to 03

No. Of Corrections
on this page

< ⋮
⋮
📍 ↕

- 🚗 12 min
- 🚲 12 min
- 🚝 -
- 🚶 1 hr 22
- ✈️ -



12 min (6 km)

Best route

🌿 Saves petrol

- ▲ Start
- ☰ Steps
- 📌 Pin

DR. CHANDRASHEKHAR DESAI M.D.

Consulting Physician & Cardiologist

R. No. 49732

DR. Mrs. SUSHAMA DESAI M.B.B.S

R. No. 71447

E-mail ID : desaihospital86@gmail.com

DESAI HOSPITAL

Doctor's Colony, Near Bus Stand,

GADHINGLAJ - 416 502

Dist. Kolhapur.

Ph. (02327) 222550

Date :

To,

Secretary,

Smt. Gurubai Batkadli Shikshan Sanstha's

kai.Sureshanna Batkadli College Of PHYSIOTHERAPY Kadgaon

Sub: permission to Affiliation for PHYSIOTHERAPY college.

Respected Sir,

As per your request we are glad to inform you that we are giving permission to affiliate our 50 bed hospital to Kai.Sureshanna Batkadli College Of PHYSIOTHERAPY Kadgaon. Hope it will be very helpful for clinical experience. Our hospital is not affiliated to any other nursing school.

Thanking you



Dr

Your Sincerely

Dr. CHANDRASHEKHAR DESAI
(M.D.)

Physician & Cardiologist



महाराष्ट्र शासन

जिल्हा शल्यचिकित्सक, कोल्हापूर

(सन १९४९ च्या दि. बॉम्बे नर्सिंग होमस रजिस्ट्रेशन अॅक्टचा कन्व ५ अन्वये दिनेने रजिस्ट्रेशन सर्टिफिकेट)
दि बॉम्बे नर्सिंग होमस रजिस्ट्रेशन अॅक्ट, १९४९ अन्वये

प्रमाणपत्र

डॉ. श्री./श्रीमती चंद्रशेखर नर. देसाई यांचे

देसाई हॉस्पिटल, इडहिंगलज

येथील नर्सिंग होम/मॅटर्निटी होम रजिस्ट्रेशन करून घ्यावयाच्या अश्विन होम व पॅडलिट्री सेव

चालविण्यास परवाना देणेत येत आहे * पुनर्नदीनास मान्यता देणेत येत आहे ✓

रजिस्ट्रेशन क्रमांक : ४५२/२०२२ इडहिंगलज प्रत्येकीकाली कोटस ००

रजिस्ट्रेशन दिनांक : ०९/०४/२०२२ इतर सुगणसाठी कोटस ५०

ठिकाण : कोल्हापूर

मूळ कोटस : ५०

सर्टिफिकेट दिल्याचा दिनांक : ०९/०४/२०२२

सदरचे सर्टिफिकेट दिनांक : ३१/०३/२०२५ पर्यंत कार्यवाहीत राहिल.



जिल्हा शल्यचिकित्सक,
छत्रपती प्रमिलाराजे सर्वोपचार
सुन्नालय, कोल्हापूर.

MAHARASHTRA POLLUTION CONTROL BOARD

Regional Office, Kolhapur

Phone : 0231-2652952 /2660448
Fax : 0231-2652952
Email : rokolhapur@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Udyog Bhawan
Near Collector Office,
Kolhapur - 416003

LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorization for Generation, Collection, Reception, Segregation, Disposal of Bio-Medical Wastes under Rule 7(4)]

I. File number of authorization and date of issue

RO-KOLHAPUR/BMW_AUTH/2206000556

Date: 28/06/2022

II. M/s. DESAI HOSPITAL, is hereby granted an authorization for generation of biomedical waste on the premises situated DOCTORS COLONY, GADHINGLAJ, TAL. GADHINGLAJ, DIST. KOLHAPUR, MAHARASHTRA.

III. This authorization shall be in force for a period up to 30.06.2027 an application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.

IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V. No of Beds: 50.

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer Authorized by the prescribed authority.
3. (a) The authorized person shall not rent, lend or sell the biomedical waste or facility.
(b) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.



MPCB-BMW AUTH-0000039330

6. The authorization is granted for generation and disposal of Bio-Medical Waste (BMW) to CBMWTSDF in waste categories and quantities listed here in below :

Sr. No.	Category	Type of Waste	Quantity (Kg/M)	Segregation Colour Coding	Treatment & Disposal
1	Yellow	a) Human Anatomical Waste	1.00	Yellow Coloured non- Chlorinated plastic bags	No onsite treatment of BMW is permitted. The above mentioned Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB
		b) Animal Anatomical Waste	----		
		c) Soiled Waste	2.00		
		d) Expired or discarded Medicines	----	Separate collection system leading to effluent treatment system	
		e) Chemical Waste	----		
		f) Chemical liquid Waste	----	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		g) Discarded linen, mattresses beddings contaminated with blood or body fluid.	----		
		h) Microbiology Biotechnology and other clinical laboratory waste.	----	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	14.0	Red coloured non chlorinated plastic bags or container.	
3	White (Translucent)	Waste Sharps including Metals	2.00	Puncture proof, leak proof, tamper proof container.	
4	Blue	a) Glass ware	----	Cardboard boxes with blue coloured marking.	
		b) Metallic body implants	----		

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.

J.F.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
- (ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.
- (vi) You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer Centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with copy to CPCB before 31st January every year.
- (vii) You shall manage the Mercury Waste in the HCE in environmental sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dtd. 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
- (viii) You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCE's within two years.
- (ix) You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of CBMWTF in accordance with Water Act, 1974.
10. **Standards for waste autoclaving:**
The autoclave shall be dedicated for the purposes of disinfecting and treating bio-medical waste.
- (i) When operating a gravity flow autoclave, medical waste shall be

- Subjected to:
- (i) a temperature of not less than 121 C° and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes; or
 - (iii) a temperature of not less than 149 C° and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (II) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following:
- (i) a temperature of not less than 121 C° and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 C° and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (III) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time, temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- (IV) *Recording of operational parameters.* - Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (V) *Validation test: Spore testing.* - The autoclave shall completely and consistently kill the approved biological indicator at the maximum design capacity of each autoclave unit. Biological indicator for autoclave shall be *Bacillus stearothermophilus* spores using vials or spore strips, with at least 1x 10⁴ spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121 C° or a pressure, less than 15 psi.
- (VI) *Routine Test.* - A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.

J.



12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.
15. You shall submit following bank guarantees in favour of Regional Office, M. P. C. Board, Kolhapur within a 15 days to ensure the compliance of following conditions :

Sr. No.	Condition to be complied	Compliance Timeline (Months)	BG Amount (Rs)	Validity
A)	Operation and Maintenance			
01	To segregate and Handle BMW as per the Conditions of Authorization/BMW Rules.	Continuous	25000/-	31.12.2025
B)	Records			
02.	To maintain records of BMW and submission of Annual report in Form - II before 31 st January.	Continuous	15000/-	31.12.2025
03	To maintain records of BMW material received /delivered to authorized party/ CBMWTSDF (Transporters only)	Continuous	10000/-	31.12.2025
C)	Performance			
04	To provide Effluent Treatment Plant.	Six months	50,000/-	31.12.2025
Bank Guarantee Total Amount of Rs.			100,000/-	

V.P.

FOR AND ON BEHALF OF THE
MAHARASHTRA POLLUTION CONTROL BOARD

J.S.

(J. S. Salunkhe)
REGIONAL OFFICER, KOLHAPUR



To,
M/S. DESAI HOSPITAL,
DOCTORS COLONY, GADHINGLAJ,
TAL. GADHINGLAJ, DIST. KOLHAPUR,
MAHARASHTRA.


Authorization Fees Received:

Sr. No.	Amount	Transaction No.	Date	Drawn On
1	12500/-	TXN2112003726	31.12.2021	Online Payment

Copy to:-
Sub Regional Office, Kolhapur.

Maharashtra Pollution Control Board

636/2024



महाराष्ट्र MAHARASHTRA

2023

86AA 476162

25/02/2024



विक्री नं. 282 किंमत रु. 5000 पैकी रु. 5000 दि.
श्री./सौ. ~~अध्यक्ष~~ सचिव
श्रीमती गुरुदाई बटकादली शिक्षण संस्था.
रा. कडगांव, ता. गडहिंग्लज, जि. कोल्हापूर
कोटा 2/इला 2/शिकोत
श्री. नारायण अशवंत देसावे
मुद्रांक विक्रेता, पंचायत समिती समोर, गडहिंग्लज
परवाना क्र. मु.वि.अ. 30/99 दि. 23/0/9999
कोड नं. 260600C



मुद्रांक विक्रेता घेणावाची कार्य



Notary Regl. No. 636/2024

MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,
DIST-KOLHAPUR

And

SWARAJ MULTISPECIALITY HOSPITAL GADHINGLAJ, TAL-
GADHINGLAJ, DIST-KOLHAPUR.

No Of Corrections
on this page 01/2

2

Affiliation for utilization for **PHYSIOTHERAPY**
 This DEED OF AGREEMENT IS MADE ON THIS between
LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,
DIST-KOLHAPUR

(First Party)

And

SWARAJ MULTISPECIALITY HOSPITAL GADHINGLAJ, TAL-
GADHINGLAJ, DIST-KOLHAPUR.
 (Second Party)

1. The first party can utilize second party's hospital as Affiliated hospital for the physiotherapy students of first party for clinical experience.
2. The second party is having 50 bed added Hospital. The types and number of beds are as follows:

Sr. No.	Departments	Numbers of Beds
01.	Medical / Surgical	10
02.	Orthopedic	20
03.	Pediatric	10
04.	Neurology	05
05.	Burns and Plastic	05

3. Video shooting permission during inspect on (HUHS, INC, DMER, MSBNPE)
4. Permission to Conduct to practical Examination (MUHS)
5. Permission to demonstrate the procedure to the students.
6. Posting timing for inter shift wise (08 Hrs. duration bases.
7. During final examination, before 20 days students will be study holiday.
8. Permission for integrated posting & research project activities.
9. This MOU is for period of 5 years

SECRETARY
 LATE SURESHANNA BATKADALI COLLEGE OF
 PHYSIOTHERAPY, KADGAON
 TAL-GADHINGLAJ, DIST-KOLHAPUR

SWARAJ MULTISPECIALITY HOSPITAL
 GADHINGLAJ, TAL-GADHINGLAJ,
 DIST-KOLHAPUR.

WITNESS Name Address And Signature -

1. Shri. Vaibhav Irappa Kagwade
At -Post- Ainapur, Tal Gadhnglaj, Dist-Kolhapur
2. Shri. Ajit Shankar Patil,
Kadgaon, Tal Gadhnglaj, Dist-Kolhapur

(Signature)
(Signature)

No. Of Corrections
 on this page *none*



BATKADALI
 KADGAON
 T.KOLHAPUR.

The Document is
 Page No 1 of 1 pages
 No. Of Corrections
 on this page

IDENTIFIED BY

Balil
(B.M. Patel)
40-Gadhinglaj

Before Me

S. S. PAWAR
Advocate & Notary
Doctor's Colony, Gadhinglaj
Dist. Kolhapur-416502
Mob. 9422581268

MAR 2024



This Document Contains
Page No. 1 to 02

No. Of Corrections
on this page - nil

No. Of Corrections
on this page -

SECRETARY
SHRI HANU SAKSHI & RAGDAN
SHRI HANU SAKSHI & RAGDAN
TAL. GADHINGLAJ, DIST. KOLHAPUR

SECRETARY
SHRI HANU SAKSHI & RAGDAN
SHRI HANU SAKSHI & RAGDAN
TAL. GADHINGLAJ, DIST. KOLHAPUR



Swarajya Multispeciality Hospital...



Late. SureshAnna Batkadli College...




13 min

14 min



1 hr 36



13 min (7.1 km)

Fastest route, the usual traffic

Saves petrol

Start

Steps

Pin



॥ स्वराज्य ॥

मल्टीस्पेशलिटी हॉस्पिटल प्रा. लि.



SWARAJYA MULTISPECIALITY HOSPITAL PVT. LTD

Director : Dr. Ajit Vasantrao Patole

M.B.B.S., D.ORTHO.
Mob. 9545814614

Email ID : drajitpatole@gmail.com

CIN NO : U85310PN 2016PTC164534

To,

Secretary,

Smt. Gurubai Batkadli Shikshan Sanstha's

kai.Sureshanna Batkadli College Of PHYSIOTHERAPY Kadgaon

Sub: permission to Affiliation for PHYSIOTHERAPY college.

Respected Sir,

As per your request we are glad to inform you that we are giving permission to affiliate our 50 bed hospital to Kai.Sureshanna Batkadli College Of PHYSIOTHERAPY Kadgaon. Hope it will be very helpful for clinical experience. Our hospital is not affiliated to any other nursing school.

Thanking you

Swarajya Multispeciality
Hospital Pvt.Ltd.

Ajit Patole
Director

Your Sincerely

Sr No _____, Plot No. 1, Ganakeshwar Road, Gadhinglaj, Kolhapur, Maharashtra - 416502



महाराष्ट्र शासन

जिल्हा शल्यचिकित्सक, कोल्हापूर

(सन् १९४९ र्था दि द्वांबे नर्सिंग होमस रजिस्ट्रेशन अक्टचा कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट)

दि बाँबे नर्सिंग होमस रजिस्ट्रेशन अक्ट, १९४९ अन्वये

नोंदणी प्रमाणपत्र

डॉ. श्री./श्रीमती अजित वसंतराव पाटोळे यांचे

स्वराज्य मल्टीस्पेशालिटी हॉस्पिटल, गडहिंग्लज

येथील हॉस्पिटल/नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे हॉस्पिटल/नर्सिंग

होम/मॅटर्निटी होम झालविषयास परवाना देणेत येत आहे. /पुर्ननोंदणीस मान्यता देणेत

येत आहे.

रजिस्ट्रेशन क्रमांक : ५०२/२०२२/गडहिंग्लज प्रसूतीसाठी कॉटस् : ००

रजिस्ट्रेशन दिनांक : २९/०५/२०२२ इतर रुग्णांसाठी कॉटस् : ५०

ठिकाण : कोल्हापूर एकूण कॉटस् : ५०

सर्टिफिकेट दिल्याचा दिनांक : २२/०५/२०२२

सदरचे सर्टिफिकेट दिनांक : ३१/०३/२०२५ पर्यंत कार्यवाहीत राहील.



जिल्हा शल्यचिकित्सक,
छत्रपती प्रमिलाराजे सर्वोपचार
रुग्णालय, कोल्हापूर.

MAHARASHATRA POLLUTION CONTROL BOARD
Regional Office, Kolhapur

Phone : 0231-2652952 /2660448
Fax : 0231-2652952
Email : rokolhapur@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Ladyog Bhawan
Near Collector Office.
Kolhapur - 416003

LETTER OF BIO-MEDICAL WASTE AUTHORISATION
[Authorisation for Generation, Collection, Reception, Segregation, Disposal of Bio-Medical Wastes under Rule 7(4)]

I. File number of authorisation and date of issue

RO-KOLHAPUR/BMW_AUTH/2110000278/2021

Date-21/10/2022

II. M/s. Swarajya Multispeciality Hospital, is hereby granted an authorization for generation of biomedical waste on the premises situated Gut No., 771/21/2, Gadhinglaj, Tal- Gadhinglaj, Dist- Kolhapur, MAHARASHTRA

III. This authorization shall be in force for a period up to 31.05.2025 an application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.

IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.


V. No of Beds: 50.

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer Authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior notice of the prescribed authority to close down the facility.

[Signature]

647/2024 (1)



महाराष्ट्र MAHARASHTRA

2023

07/02/2024 86AA 476210



विक्री नं. 543 किंमत रु. 300/- पैकी रु. 700/- दि.
श्री./सौ. --- श्री. नारायण शिवांत वेसादे
श. --- श्री. नारायण शिवांत वेसादे
SECRETARY
SHIKSHAN SANSTHA KADGAON
TAL. GADHINGLAJ, DIST. KOLHAPUR



श्री. नारायण शिवांत वेसादे
मुद्रांक विक्रेता, मंचायत समिती समोर, गडहिंगलज
परधाना क्र. मु.वि.अ. 30/99 दि. 23/0/9999
कोड नं. 260600C



notary Regl. Sr. No. 647/2024

MEMORANDUM OF UNDERSTANDING (MOU) BETWEEN

LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,
DIST-KOLHAPUR

And

HATTARKI HOSPITAL GADHINGLAJ, TAL-GADHINGLAJ, DIST-
KOLHAPUR.

No. Of Corrections on this page - 1

9

Affiliation for utilization for **PHYSIOTHERAPY**
This DEED OF AGREEMENT IS MADE ON THIS between
LATE SURESHANNA BATKADALI COLLEGE OF PHYSIOTHERAPY
KADGAON, TAL-GADHINGLAJ,

DIST-KOLHAPUR
(First Party)

And

HATTARKI HOSPITAL GADHINGLAJ, TAL-GADHINGLAJ, DIST-
KOLHAPUR.
(Second Party)





1. The first party can utilize second party's hospital as Affiliated hospital for the physiotherapy students of first party for clinical experience.
2. The second party is having 50 bed added Hospital. The types and number of beds are as follows:

Sr. No.	Departments	Numbers of Beds
01.	Medical / Surgical	20
02.	Orthopedic	20
03.	Casualty / Emergency	05
04.	Burns and Plastic	05



BATKADALI
KADGAON
DIST. KOLHAPUR

3. Video shooting permission during inspect on (HUHS, INC, DMER, MSBNPE)
4. Permission to Conduct to practical Examination (MUHS)
5. Permission to demonstrate the procedure to the students.
6. Posting timing for inter shift wise (08 Hrs. duration bases.
7. During final examination, before 20 days students will be study holiday.
8. Permission for integrated posting & research project activities.
9. This MOU is for period of 5 years


SECRETARY
 LATE SURESHANNA BATKADALI COLLEGE OF
 PHYSIOTHERAPY, KADGAON
 TAL - GADHINGLAJ, DIST. KOLHAPUR
 SHIKSHAN SANSTHA
 TAL GADHINGLAJ, DIST. KOLHAPUR


 HATTARKI HOSPITAL
 GADHINGLAJ, TAL-GADHINGLAJ,
 DIST-KOLHAPUR.

- WITNESS Name Address And Signature -
1. Shri. Vaibhav Irappa Kagwade
At -Post- Ainapur, Tal Gadhnglaj, Dist-Kolhapur
 2. Shri. Ajit Shankar Patil,
Kadgaon, Tal Gadhnglaj, Dist-Kolhapur

No. Of Corrections
on this page - 11

3

IDENTIFIED BY

*Pratik
C.B.-M. Patel
Ho- Anelwngay*

Before Me


S. S. Pawar

S. S. PAWAR
Advocate & Notary
Doctor's Colony, Gadhinglaj
Dist. Kolhapur-416 502.
Mob. 9422581268



2 MAR 2024

SECRETARY
SHRIKANT GURJAN PANDOL
SHIKHAR SAKSHI KADGON
TAL. GADHINGLAI, DIST. KOLHAPUR



This Document Contains
Page No. 1 to 03

No. Of Corrections
on this page- Nil

SECRETARY
SHRIKANT GURJAN PANDOL
SHIKHAR SAKSHI KADGON
TAL. GADHINGLAI, DIST. KOLHAPUR

No. Of Corrections
on this page- Nil



Dr. Hattaraki Hospital



Late. SureshAnna Batkadli College...



12 min



12 min




-



1 hr 21



-



12 min (5.9 km)

Fastest route, the usual traffic



Saves petrol



Start



Steps



Pin





Dr. Ravi D. Hattarki

M.B.B.S., M.S. (Ortho.)

HATTARKI HOSPITAL, GADHINGLAJ

Date :

To,

Secretary,

Smt. Gurubai Batkadli Shikshan Sanstha's

kai.Sureshanna Batkadli College Of PHYSIOTHERAPY Kadgaon

Sub: permission to Affiliation for PHYSIOTHERAPY college.

Respected Sir,

As per your request we are glad to inform you that we are giving permission to affiliate our 50 bed hospital to Kai.Sureshanna Batkadli College Of PHYSIOTHERAPY Kadgaon. Hope it will be very helpful for clinical experience. Our hospital is not affiliated to any other nursing school.

Thanking you



Your Sincerely

डॉ. रविंद्र दु. हत्तरकी (एम.एस. आर्थो.)

हत्तरकी हॉस्पिटल

जागृती हायस्कूल जवळ, भडगांव रोड

गडहिंगलज, 416502, Opd-9371223526



महाराष्ट्र शासन

जिल्हा शल्यचिकित्सक, कोल्हापूर

(सन १९४९ च्या दि. बॉम्बे नर्सिंग होमस रजिस्ट्रेशन अॅक्टचा कलम ५ अन्वये दिलेले रजिस्ट्रेशन सर्टिफिकेट)

दि. बॉम्बे नर्सिंग होमस रजिस्ट्रेशन अॅक्ट, १९४९ अन्वये

नोंदणी प्रमाणपत्र

डॉ. श्री./श्रीमती रविंद्र डु. हत्तरकी यांचे

हत्तरकी हॉस्पिटल, गडहिंग्लज

येथील हॉस्पिटल/नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे हॉस्पिटल/नर्सिंग

होम/मॅटर्निटी होम घालाविषयास परवाना देणेत येत आहे. /पुनर्नोंदणीस मान्यता देणेत

येत आहे.

रजिस्ट्रेशन क्रमांक : ४५९/२०२२/गडहिंग्लज प्रसूतीसाठी कॉटस् : ००

रजिस्ट्रेशन दिनांक : १७/५/२०२२ इतर रुग्णांसाठी कॉटस् : ५०

ठिकाण : कोल्हापूर एकूण कॉटस् : ५०

सर्टिफिकेट दिल्याचा दिनांक : ८/६/२०२२

सदरचे सर्टिफिकेट दिनांक : ३१/०३/२०२५ पर्यंत कार्यवाहीत राहिल.



जिल्हा शल्यचिकित्सक,
छत्रपती प्रणिलाराजे सर्वोपचार
रुग्णालय, कोल्हापूर.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0231-2652952
0231-2660448
Fax: 0231-2652952
Website: <http://mpcb.gov.in>
Email: rokolhapur@mpcb.gov.in

Maharashtra Pollution
Control Board, Udyog
Bhavan Building, Near
Collectorate Office,
Kolhapur - 416 002

RED/S.S.I
No:- Format1.0/RO/UAN
No.0000144003/CR/2208000298

Date: 05/08/2022

To,
HATTARKI HOSPITAL
97/A-543, NEAR GHALI COLLEGE, BHADGAON ROAD,
GADHINGLAJ,
TAL. GADHINGLAJ, DIST. KOLHAPUR.



Sub: Granted Combine Consent under Red Category

Ref: Your application for Combine Consent and Bio-Medical Authorization dated 19.07.2022

Combined Consent to Renewal and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The Combined Consent to Renewal and BMW authorization is granted upto: 30.06.2026**

2. **The capital investment of the project is Rs.0.2535 Crs. (As per C.A Certificate submitted by industry Existing-Rs. __ Crs + Expansion/Increase in C.I. - Rs. __ Crs).**

3. 50

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	0	As per Schedule -I	NA
2.	Domestic effluent	8	As per Schedule - I	

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG SET	1	As per Schedule -II

6. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	CAT - 1 HUMAN ANATOMICAL WASTE	2	Kg/M	NA	CBMWTFD - S S SERVICES, ICHALKARANJI
2	CAT - 3 MICRO BIOLOGY & BIOTECHNOLOGY WASTE	2	Kg/M	NA	CBMWTFD - S S SERVICES, ICHALKARANJI
3	CAT - 4 SHARP WASTE	60	Kg/M	NA	CBMWTFD - S S SERVICES, ICHALKARANJI
4	CAT - 5 DISCARDED MEDICINS AND CYTOTOXIC DRUGS ANATOMICAL WASTE	5	Kg/M	NA	CBMWTFD - S S SERVICES, ICHALKARANJI
5	CAT - 6 SOLID WASTE	5	Kg/M	NA	CBMWTFD - S S SERVICES, ICHALKARANJI
6	CAT - 7 SOILED SOLID WASTE	60	Kg/M	NA	CBMWTFD - S S SERVICES, ICHALKARANJI
7	SLUDGE	2	Kg/M	NA	CBMWTFD - S S SERVICES, ICHALKARANJI

8. Treatment and Disposal of Biomedical Waste generated to CBMWTFD:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	2.00	Yellow colored non-chlorinated plastic bags or containers	S.S. Services, Ichalkaranji
		b) Soiled Waste	5.00		
		c) Expired or Discarded Medicines	5.00		
		d) Microbiology Biotechnology and other clinical laboratory waste	2.00		
2	White (Translucent)	Waste sharps including Metals	60.00	Puncture proof, Leak proof, tamper proof container	NA

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

- HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. If any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
- HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
- HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
- Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
- In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
- HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent.

- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
 - b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
 - c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
 - d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
 - e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
 - f. You shall establish Bar code system within one year.
 - g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.



J. S.

01a2746c
fe8e16c1
9572f427
d4c82210
5958ebe4
d0a1c104
d1846201
56c9959b

Signed by: J. S. Salunkhe
Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
kolhapur@mahapcb.gov.in
2022-08-05 11:54 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	7500.00	TXN2207002082	19/07/2022	Online Payment
2	4500.00	TXN2207003285	28/07/2022	Online Payment
3	30000.00	TXN2207003286	28/07/2022	Online Payment
4	12500.00	TXN2207002084	19/07/2022	Online Payment
5	7500.00	TXN2207003283	28/07/2022	Online Payment

0

Copy to:

1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Shivajinagar, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] Generation - Nil
B] Treatment - NA
C] Disposal - NA
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 0 CMD for the treatment of 8 CMD of sewage.
B] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	-0.00
2.	Domestic purpose	10.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
1	DG SET 125 KVA	ACOUSTIC ENCLOSURE AND STACK	10 MTRS	DIESEL	18 Ltr/Hr	0.00	0.00

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent (C2E/C20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
NA						

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
 # Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	25000
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50000
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	15000
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10000

BG Forfeiture History

Srno.	Consent (C2E/C20/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C20/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with

14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.

Late Sureshanna Batkadli College of Physiotherapy

PO: Kadgaon TQ: Gadhinglaj DS: Kolhapur Maharashtra : 416502



☎ Isbpkadgad@gmail.com 🌐 www.Isbphysiotherapy.com 📞 9552899338, 9422427431

TOTAL BED STRENGTH OF ALL AFFILIATED HOSPITALS

S. N.	Departments	Sub-District	Sevasadan	Sanjeevani	Janai	Desai	Swarajya	Hattarki	Total Specialty Strength
1	Medical	20	10	15	15	25	05	10	100
2	Surgical	15	20	10	10	05	05	10	75
3	ICU	05	05	10	05	05	---	---	30
4	Neurology	---	---	---	---	---	05	---	05
5	Orthopaedic	20	30	---	05	---	20	20	95
6	Paediatrics	05	10	05	05	05	10	---	35
7	OBG	10	10	30	05	---	---	---	55
8	Ophthal / ENT	05	05	10	05	05	---	---	25
9	Psychiatric	---	---	10	05	---	---	---	25
10	Infectious Diseases	05	---	---	---	05	---	---	10
11	Burns & Plastic Surgery	10	---	---	---	---	05	05	25
12	Emergency / Casualty	05	---	10	05	---	---	05	25
	Total Bed Strength	100	100	50	55	50	100	50	505

TOTAL PERCENTAGE OF OPD & IPD FLOTATION FOR THE F. Y. 2024-2025

S. N.	Name of Hospital	Bed Strength	OPD Strength	IPD Strength	% of Bed Occupancy
1	Sub-District	100	45,000	6,500	80%
2	Sevasadan	100	30,000	3,500	85%
3	Sanjeevani	100	28,200	3,100	84%
4	Janai	55	14,400	1,500	89%
5	Desai	50	14,000	1,400	90%
6	Swarajya	50	15,000	1,400	88%
7	Hattaraki	50	10,800	1,000	80%
	Total	505	1,57,400	18,400	85%

PO: Kadgaon TQ: Gadhinglaj DS: Kolhapur

PRINCIPAL